## IN THE CLAIMS:

Please amend the following claims.

(Currently Amended) A network system comprising:

an analysis engine <u>to</u> interacts with a user profile server, <u>a user data collection</u>

<u>point</u> and a content management system, the analysis engine to perform <del>at least one</del> <u>an</u>

analysis in real-time <u>to generate a result that is associated with a recommended item</u>,

<u>the result to include a plurality of content types</u>;

the data collection point to provide data to the analysis engine;

the user profile server to perform one of collection and management of provide user data to the analysis engine; and

the content management system to manage the result that is associated with the recommended item and includes a the plurality of content types, wherein the plurality of content types includes at least a first content type and a second content type;

a first service point to retrieve a first content type from the content management system, wherein the first content type is associated with the recommended item and is personalized for a first user; and

a second service point to retrieve a second content type from the content management system, wherein the second content type is associated with the recommended item and is personalized for a second user.

## 2. (Cancelled)

- 3. (Currently Amended) The network system of claim 1, wherein a the first service point serves the purpose may be utilized for an at least one of communicating a recommendation of for an a live agent to an a live agent desktop, supporting a request to route data, supporting a request for a live agent assignment, and an providing an outbound campaign service.
- 4. (Original) The network system of claim 1, wherein the analysis engine is to collect data from a plurality of customer contact points.
- 5. (Original) The network system of claim 1, wherein the user profile server includes one of static profile attributes and dynamically generated attributes.
- 6. (Currently Amended) The network system of claim 5, wherein input from one of a first <u>live</u> agent and a second <u>live</u> agent updates one of the static profile attributes and the dynamically generated attributes.
- 7. (Canceled)
- 8. (Currently Amended) The network system of claim 1, <u>further</u> comprising:

  a client request <u>is associated with a first agent by a service point that is communicated to the analysis engine to trigger the analysis engine to perform the <u>analysis in real-time to generate the result.</u></u>
- 9. (Original) The network system of claim 1, wherein the user profile server is coupled to a data repository for service data and metadata.

I:\ASPECT COMMUNICATIONS\P049\Final RCE 9.2.03.doc

- 10. (Currently Amended) The network system of claim 1, wherein the user profile server, the analysis engine, and the content management system operated on at least one of a local and remote server.
- 11. (Currently Amended) A method comprising:

  accessing a customer profile and preferences;

sending the receiving a customer profile, and the preferences and data to an analysis engine, wherein the customer profile, the preferences and the data are utilized to perform an analysis in real-time to generate a result that is associated with a recommended item, the result to include a plurality of content types;

accessing <u>a</u> recommended items in real-time; retrieving content for at least one recommended item;

supporting a content type by a service point

managing a the plurality of content types for a plurality of service points,

wherein the plurality of content types includes at least a first content type and a second content type;

retrieving a the first content type by a first service point, using results from a first analysis wherein the first content type is associated with the recommended item and is personalized for a first user; and

retrieving a the second content type by a second service point, using results from a first analysis wherein the second content type is associated with the recommended item and is personalized for a second user.

I:\ASPECT COMMUNICATIONS\P049\Final RCE 9.2.03.doc

- 12. (Currently Amended) The method of claim 11, further comprising: collecting receiving data from a plurality of customer contact points.
- 13. (Original) The method of claim 11, wherein the customer profile is provided by a user profile server coupled to an analysis engine.
- 14. (Original) The method of claim 12, wherein the user profile server includes one of static user profile attributes and dynamically generated attributes.
- 15. (Original) The method of claim 14, further comprising:

  updating one of the static profile attribute and the dynamically generated attribute.
- 16. (Cancelled)
- 17. (Currently Amended) The method of claim 12, wherein the user profile, the analysis engine, and the content management system are operated on <u>at least</u> one of a local server and a remote server.
- 18. (Currently Amended) A machine readable storage media containing executable program instructions which when executed cause a digital processing system to perform a method comprising:

accessing a customer profile and preferences

sending the receive a customer profile, and the preferences and data to an analysis engine, wherein the customer profile, the preferences and the data are utilized

I:\ASPECT COMMUNICATIONS\P049\Final RCE 9.2.03.doc

to perform an analysis in real-time to generate a result that is associated with a recommended item, the result to include a plurality of content types;

accessing a recommended items in real-time;

retrieving content for at least one recommended item;

supporting a content-type by a service point

manage a the plurality of content types for a plurality of service points, wherein the plurality of content types includes a first content type and a second content type;

retrieve a the first content type by a the first service point, using results from a first analysis wherein the first content type is associated with the recommended item and is personalized for a first user; and

retrieving retrieve a the second content type by a the second service point, using results from a first analysis wherein the second content type is associated with the recommended item and is personalized for a second user.

19. (Currently Amended) The machine readable storage media of claim 18, wherein the method further comprises:

managing a the plurality of content types for a plurality of service points.

20. (Original) The machine readable storage media of claim 18, wherein the method further comprises:

collecting data from a plurality of customer contact points.

- 21. (Original) The machine readable storage media of claim 19, wherein a user profile server is coupled to an analysis engine and a content management system, the content management system manages the plurality of content types.
- 22. (Original) The machine readable storage media of claim 21, wherein the user profile server includes one of static user profile attributes and dynamically generated attributes.
- 23. (Currently Amended) A <u>The</u> machine readable storage media of claim 22, wherein the method further comprises:

updating one of the static profile attribute and the dynamically generated attribute.

- 24. (Cancelled)
- 25. (Currently Amended) The machine readable storage media of claim 22, wherein the user profile server, the analysis engine, and the content management system are operated on <u>at least</u> one of a local server and remote server.
- 26. (New) The method of claim 1, wherein multiple content types may be retrieved by a single user.

- 27. (New) The method of claim 1, wherein the first content type includes content for live agent assistance and the second content type includes content for customer self-service.
- 28. (New) The method of claim 1, wherein the content management system includes a plurality of content collections.
- 29. (New) The method of claim 28, wherein the content management system utilizes

  the plurality of content collections to control access to the plurality of content types.
- 30. (New) A network system comprising:

a first means for interacting with a second means, a third means and a fourth

means, the first means for performing an analysis in real-time to generate a result that is

associated with a recommended item, the result to include a plurality of content types;

the third means for providing data to the analysis engine;

the second means for providing user data to the analysis engine;

the fourth means for managing the result that is associated with the recommended item and includes the plurality of content types, wherein the plurality of content types includes at least a first content type and a second content type;

a fifth means for retrieving a first content type from the fourth means, wherein the first content type is associated with the recommended item and is personalized for a first user; and

a sixth means for retrieving a second content type from the content management system, wherein the second content type is associated with the recommended item and is personalized for a second user.